

## Abbreviations / Kısaltmalar

**YAG:** Yearly Achievement Grade

**YİTBN:** Yıl İçi Toplam Başarı Notu

**EPEX:** English Proficiency Exam

**İYS:** İngilizce Yeterlilik Sınavı

**YTG:** Yealy Total Grade (YAG x 40% + EPEX x 60%)

**YSTBN:** Yıl Sonu Toplam Başarı Notu (YİTBN x 40% + İYS x 60%)

|             | YAG   | Percent | EPEX /İYS |         |         |          | Percent | YTG   | ROUND | DURUM      |
|-------------|-------|---------|-----------|---------|---------|----------|---------|-------|-------|------------|
| ID          | YİTBN | 40%     | Main P.   | List.   | Writ.   | Total    | 60%     | YSTBN | UP    | DURUM      |
|             |       |         | 60 pts.   | 25 pts. | 15 pts. | 100 pts. |         |       |       |            |
| 20241140058 | 73    | 29.2    | 45        | 12      | 8.5     | 65.5     | 39.3    | 68.5  | 67    | Pass/Geçti |
| 20241140043 | 77    | 30.8    | 52        | 25      | 1.5     | 78.5     | 47.1    | 77.9  | 78    | Pass/Geçti |
| 20241140023 | 80    | 32      | 45        | 20      | 10.5    | 75.5     | 45.3    | 77.3  | 77    | Pass/Geçti |
| 20241140016 | 73    | 29.2    | 45        | 19      | 7.5     | 71.5     | 42.9    | 72.1  | 72    | Pass/Geçti |
| 20241140020 | 82    | 32.8    | 45        | 16      | 11      | 72       | 43.2    | 76    | 76    | Pass/Geçti |
| 20231120258 | 67    | 26.8    | 41        | 18      | 9       | 68       | 40.8    | 67.6  | 68    | Pass/Geçti |
| 20241140010 | 71    | 28.4    | 45        | 13      | 10      | 68       | 40.8    | 69.2  | 69    | Pass/Geçti |
| 20231120255 | 62.5  | 25      | 32        | 7       | 6       | 45       | 27      | 52    | 52    | Fail/Kaldı |
| 20241140008 | 78    | 31.2    | 53        | 22      | 9       | 84       | 50.4    | 81.6  | 81    | Pass/Geçti |
| 20231120283 | 77.5  | 31      | 40        | 20      | 11      | 71       | 42.6    | 73.6  | 74    | Pass/Geçti |
| 20241140201 | 73    | 29.2    | 44        | 9       | 11      | 64       | 38.4    | 67.6  | 68    | Pass/Geçti |
| 20241120023 | 71.5  | 28.6    | 42        | 10      | 8       | 60       | 36      | 64.6  | 65    | Pass/Geçti |
| 20241140062 | 68.5  | 27.4    | 38        | 10      | 6       | 54       | 32.4    | 59.8  | 60    | Fail/Kaldı |
| 20241140053 | 68.5  | 27.4    | 40        | 16      | 6       | 62       | 37.2    | 64.6  | 65    | Pass/Geçti |
| 20231140263 | 70    | 28      | 42        | 11      | 8       | 61       | 36.6    | 64.6  | 65    | Pass/Geçti |
| 20241140073 | 79.5  | 31.8    | 47        | 16      | 9.5     | 72.5     | 43.5    | 75.3  | 75    | Pass/Geçti |
| 20241120029 | 66    | 26.4    | 46        | 9       | 9       | 64       | 38.4    | 64.8  | 65    | Pass/Geçti |
| 20241140021 | 71.5  | 28.6    | 47        | 11      | 6.5     | 64.5     | 38.7    | 67.3  | 67    | Pass/Geçti |
| 20241120037 | 64    | 25.6    | 29        | 8       | 6.5     | 43.5     | 26.1    | 51.7  | 52    | Fail/Kaldı |
| 20241120049 | 77    | 30.8    | 47        | 18      | 8.5     | 73.5     | 44.1    | 74.9  | 75    | Pass/Geçti |
| 20241120077 | 74    | 29.6    | 47        | 13      | 11      | 71       | 42.6    | 72.2  | 72    | Pass/Geçti |
| 20241120065 | 76    | 30.4    | 44        | 22      | 10.5    | 76.5     | 45.9    | 76.3  | 76    | Pass/Geçti |
| 20241120022 | 74.5  | 29.8    | 45        | 20      | 7       | 72       | 43.2    | 73    | 73    | Pass/Geçti |
| 20241140046 | 78.5  | 31.4    | 53        | 21      | 8       | 82       | 49.2    | 80.6  | 81    | Pass/Geçti |
| 20241140022 | 73.5  | 29.4    | 47        | 14      | 9       | 70       | 42      | 71.4  | 71    | Pass/Geçti |
| 20241140006 | 85    | 34      | 53        | 17      | 11.5    | 81.5     | 48.9    | 82.9  | 83    | Pass/Geçti |
| 20241120046 | 63    | 25.2    | 45        | 14      | 7.5     | 66.5     | 39.9    | 65.1  | 65    | Pass/Geçti |
| 20241140060 | 69.5  | 27.8    | 43        | 12      | 8       | 63       | 37.8    | 65.6  | 66    | Pass/Geçti |
| 20241120036 | 72.5  | 29      | 41        | 14      | 6.5     | 61.5     | 36.9    | 65.9  | 66    | Pass/Geçti |
| 20241120052 | 65.5  | 26.2    | 44        | 13      | 7       | 64       | 38.4    | 64.6  | 65    | Pass/Geçti |
| 20241120047 | 70.5  | 28.2    | 39        | 14      | 10      | 63       | 37.8    | 66    | 66    | Pass/Geçti |
| 20241120045 | 72.5  | 29      | 41        | 12      | 8.5     | 61.5     | 36.9    | 65.9  | 66    | Pass/Geçti |
| 20241120025 | 75    | 30      | 44        | 11      | 7.5     | 62.5     | 37.5    | 67.5  | 68    | Pass/Geçti |
| 20241140067 | 75    | 30      | 44        | 13      | 8       | 65       | 39      | 69    | 69    | Pass/Geçti |
| 20241120064 | 73.5  | 29.4    | 42        | 17      | 10.5    | 69.5     | 41.7    | 71.1  | 71    | Pass/Geçti |

|             |      |      |    |    |      |      |      |      |    |            |
|-------------|------|------|----|----|------|------|------|------|----|------------|
| 20241120033 | 63   | 25.2 | 38 | 11 | 8.5  | 57.5 | 34.5 | 59.7 | 60 | Fail/Kaldı |
| 20241140026 | 73   | 29.2 | 46 | 15 | 12   | 73   | 43.8 | 73   | 73 | Pass/Geçti |
| 20241140044 | 64   | 25.6 | 38 | 12 | 7    | 57   | 34.2 | 59.8 | 60 | Fail/Kaldı |
| 20241140074 | 66.5 | 26.6 | 39 | 19 | 8    | 66   | 39.6 | 66.2 | 66 | Pass/Geçti |
| 20231140274 | 65.5 | 26.2 | 33 | 10 | 9.5  | 52.5 | 31.5 | 57.7 | 58 | Fail/Kaldı |
| 20241120070 | 74   | 29.6 | 44 | 16 | 8.5  | 68.5 | 41.1 | 70.7 | 71 | Pass/Geçti |
| 20241120042 | 77   | 30.8 | 49 | 20 | 11   | 80   | 48   | 78.8 | 79 | Pass/Geçti |
| 20241120032 | 63   | 25.2 | 35 | 11 | 8    | 54   | 32.4 | 57.6 | 58 | Fail/Kaldı |
| 20231120251 | 71   | 28.4 | 43 | 19 | 9.5  | 71.5 | 42.9 | 71.3 | 71 | Pass/Geçti |
| 20241120057 | 73   | 29.2 | 43 | 18 | 6    | 67   | 40.2 | 69.4 | 69 | Pass/Geçti |
| 20241120040 | 69   | 27.6 | 45 | 24 | 8    | 77   | 46.2 | 73.8 | 73 | Pass/Geçti |
| 20241120019 | 74   | 29.6 | 48 | 11 | 1    | 60   | 36   | 65.6 | 66 | Pass/Geçti |
| 20241140051 | 72.5 | 29   | 44 | 16 | 9    | 69   | 41.4 | 70.4 | 70 | Pass/Geçti |
| 20241120013 | 68.5 | 27.4 | 43 | 18 | 12   | 73   | 43.8 | 71.2 | 71 | Pass/Geçti |
| 20241140069 | 74.5 | 29.8 | 43 | 13 | 9    | 65   | 39   | 68.8 | 69 | Pass/Geçti |
| 20241140028 | 68   | 27.2 | 45 | 9  | 9.5  | 63.5 | 38.1 | 65.3 | 65 | Pass/Geçti |
| 20241120079 | 75.5 | 30.2 | 40 | 16 | 9.5  | 65.5 | 39.3 | 69.5 | 70 | Pass/Geçti |
| 20241140052 | 68   | 27.2 | 39 | 16 | 10   | 65   | 39   | 66.2 | 66 | Pass/Geçti |
| 20241120071 | 66.5 | 26.6 | 42 | 14 | 7.5  | 63.5 | 38.1 | 64.7 | 65 | Pass/Geçti |
| 20241120028 | 65.5 | 26.2 | 34 | 10 | 9    | 53   | 31.8 | 58   | 58 | Fail/Kaldı |
| 20241140075 | 62.5 | 25   | 46 | 13 | 8.5  | 67.5 | 40.5 | 65.5 | 66 | Pass/Geçti |
| 20241140038 | 79.5 | 31.8 | 52 | 17 | 12.5 | 81.5 | 48.9 | 80.7 | 81 | Pass/Geçti |
| 20241140034 | 78.5 | 31.4 | 45 | 16 | 9.5  | 70.5 | 42.3 | 73.7 | 74 | Pass/Geçti |
| 20241120051 | 64   | 25.6 | 47 | 10 | 12   | 69   | 41.4 | 67   | 67 | Pass/Geçti |
| 20241140061 | 70.5 | 28.2 | 45 | 12 | 8.5  | 65.5 | 39.3 | 67.5 | 68 | Pass/Geçti |
| 20231120276 | 64.5 | 25.8 | 39 | 19 | 8    | 66   | 39.6 | 65.4 | 65 | Pass/Geçti |
| 20241140068 | 77.5 | 31   | 43 | 14 | 8    | 65   | 39   | 70   | 70 | Pass/Geçti |
| 20241140212 | 63   | 25.2 | 35 | 12 | 8    | 55   | 33   | 58.2 | 58 | Fail/Kaldı |
| 20241120073 | 77.5 | 31   | 47 | 18 | 10.5 | 75.5 | 45.3 | 76.3 | 76 | Pass/Geçti |
| 20241140031 | 74.5 | 29.8 | 46 | 16 | 10   | 72   | 43.2 | 73   | 73 | Pass/Geçti |
| 20241140050 | 70.5 | 28.2 | 44 | 10 | 8.5  | 62.5 | 37.5 | 65.7 | 66 | Pass/Geçti |
| 20231120250 | 73.5 | 29.4 | 48 | 11 | 10   | 69   | 41.4 | 70.8 | 71 | Pass/Geçti |
| 20241120063 | 69.5 | 27.8 | 46 | 10 | 7.5  | 63.5 | 38.1 | 65.9 | 66 | Pass/Geçti |
| 20231120279 | 60   | 24   | 35 | 13 | 5.5  | 53.5 | 32.1 | 56.1 | 56 | Fail/Kaldı |
| 20241140077 | 80   | 32   | 48 | 21 | 9    | 78   | 46.8 | 78.8 | 79 | Pass/Geçti |
| 20241120039 | 68.5 | 27.4 | 43 | 12 | 7    | 62   | 37.2 | 64.6 | 65 | Pass/Geçti |
| 20241120068 | 71.5 | 28.6 | 45 | 14 | 8    | 67   | 40.2 | 68.8 | 69 | Pass/Geçti |
| 20241120050 | 67.5 | 27   | 36 | 12 | 6.5  | 54.5 | 32.7 | 59.7 | 60 | Fail/Kaldı |
| 20241120056 | 75   | 30   | 36 | 11 | 11   | 58   | 34.8 | 64.8 | 65 | Pass/Geçti |
| 20241120011 | 71.5 | 28.6 | 39 | 15 | 8    | 62   | 37.2 | 65.8 | 66 | Pass/Geçti |
| 20241120062 | 74   | 29.6 | 45 | 10 | 10.5 | 65.5 | 39.3 | 68.9 | 69 | Pass/Geçti |
| 20241120038 | 80.5 | 32.2 | 41 | 16 | 12.5 | 69.5 | 41.7 | 73.9 | 74 | Pass/Geçti |
| 20241140048 | 76   | 30.4 | 47 | 17 | 8.5  | 72.5 | 43.5 | 73.9 | 74 | Pass/Geçti |
| 20241140030 | 70.5 | 28.2 | 48 | 17 | 9.5  | 74.5 | 44.7 | 72.9 | 73 | Pass/Geçti |
| 20241120003 | 79.5 | 31.8 | 43 | 23 | 10   | 76   | 45.6 | 77.4 | 77 | Pass/Geçti |
| 20231120284 | 62   | 24.8 | 47 | 12 | 7.5  | 66.5 | 39.9 | 64.7 | 65 | Pass/Geçti |
| 20241120076 | 74.5 | 29.8 | 43 | 15 | 9    | 67   | 40.2 | 70   | 70 | Pass/Geçti |
| 20241140036 | 78   | 31.2 | 41 | 17 | 9    | 67   | 40.2 | 71.4 | 71 | Pass/Geçti |